

ATOC 1060-002
OUR CHANGING ENVIRONMENT
Class 22 (Chp 15)

Objectives of Today's Class:

The Holocene:



- [1] The Little Ice Age and possible causes;**
- [2] Climate in the past 150 years;**
- [3] Carbon reservoir and fluxes.**

1. The Little Ice Age

Little ice age: first thought local to western Europe and North Atlantic (since late 1500s).

Evidence in Asia, Himalaya, South America, new Zealand, and Antarctica => may be Global scale: time period and duration varied from place to place.

Mountain glaciers, lowering of tree Lines; increased erosion and Flooding; sea ice expansion; freezing canal and rivers.




Possible Reason? No retreating continental ice sheet to reduce thermohaline circulation.

=>

(i) Volcanic eruption;

(ii) changes of solar forcing- possibility;



Possible causes for the Little Ice age:

(i) Volcanic activities – Volcanoes and climate

**(Greenland ice cores: high volcanic activity:
1250-1500A.D; 1550-1700A.D.)**

1100-1250A.D.: few volcanic events.

Anthropogenic activity: important after 20th century (1900);

**So, Volcanic eruption: (1) ash;
(2) stratosphere SO₂**



Volcanic eruption: ash: cool the Earth -
ash increases albedo=>reduce solar
radiation (ash settles quickly);

SO₂ =>

high altitude stratosphere (15-20km),
oxides forming sulfuric acid droplets-
aerosol - scatters & reflects solar
radiation (also short lived: **1-2 years
residence time**).

Clicker's question 1


Choose the correct and complete statement:

- A. The little ice age is evidenced by mountain glaciers, lowering of tree lines, sea ice expansion, freezing canals, etc.;
- B. The little ice age's cooling is confined to the North Atlantic;
- C. The little ice age is caused by weakened thermohaline circulation;
- D. Low volcanic activities were observed during the little ice age.
- E. Both A and D.



Mount Pinatubo aerosol cloud, Philippines,

June 16

June 1991 (global effect)



SO₂ Index **June 18**



June 23

June 30





Figure 15-5

Copyright © 2004 Pearson Prentice Hall, Inc.

Satellite observations: 22 days around globe!


How volcanic eruption affects tropospheric climate? => Measure or estimate aerosol cloud has on the radiation balance.

A perturbation in the radiation budget caused by the presence of volcanic aerosols is referred to as **volcanic aerosol forcing.**

Satellite observations: global mean radiation budget & anomalies due to the volcano;

Dramatic increase in albedo => decrease Global mean temperature by 0.5°C by the End of 1992 (1.5 year later).

Global mean temperature changes averaged for 5 major volcanoes



Copyright © 2004 Pearson Prentice Hall, Inc.

Individual large event: can be 0.3-0.7°C

Regional effects => observations
show warm winter in North America,
part of Europe and Asia (for several
volcanoes in the past century)

Regional differences: increased albedo
cools the surface; absorption of longwave
radiation by the aerosols in tropical
stratosphere enhances east-west
circulation at mid-latitudes => draws more
warm air to continents => producing
warm winter.

Clicker's question 2

Choose the correct and complete statement:

- A. Frequent volcanic Eruptions may have contributed to the Little Ice Age;
- B. Volcanic eruptions cool the Earth by increasing albedo;
- C. Volcanoes can have global scale impact due to the advection of volcanic aerosols & clouds by atmospheric circulation;
- D. Both A and B;
- E. All of above.

(ii). Changes of solar forcing

Solar variability: sunspot
~11-yr cycle;





Figure 15-4

Copyright © 2004 Pearson Prentice Hall, Inc.

Satellite measurement: Sunspot max to min: incoming radiation decreases 0.1%



Copyright © 2004 Pearson Prentice Hall, Inc.

Coincidental? Possibly yes; but other climate changes - sunspots

**Gustav Sporer and E.W. Maunder found:
few sunspots 1645-1715 (later part of
the Little Ice Age) => Maunder minimum;**

Direct observation

**and proxy data using ^{14}C (high sunspot - low
 ^{14}C) => The **Sporer Minimum (1450-1534),**
Wolf Minimum (1282-1342)**

**12th and 13th centuries: Medieval warm period -
Greatest sunspot activities (“affects” climate);**


Clicker's question 3

Choose the correct and complete statement:


- A. Low sunspot activities were observed during the little Ice Age;
- B. High sunspot activities were observed during the little Ice Age;
- C. High sunspot activities were observed during the Medieval warm period;
- D. Both A and C;
- E. Both B and C.

2. Climate during the past 150 years

Since 21,000 years ago (peak glaciation) to present: solar activity (sunspot); shorter scales: volcanoes+ocean circulation (combined effects of all)



Present, greenhouse gases important



Climate during the past century

Anthropogenic forcing appear to Be important in the past few decades.




Fig. 15-5

Clicker's question 4


Choose the correct and complete statement:

Climate model simulations indicate that

- A. natural forcing (solar and volcanoes) mainly account for global mean temperature change during 1000-1900;
- B. natural forcing (solar and volcanoes) mainly account for global mean temperature change during recent decades;
- C. Anthropogenic CO₂ and aerosols primarily account for global mean temperature increase during recent decades;
- D. Both A and C;
- E. Both B and C.

3. Carbon reservoirs and fluxes

Reservoirs



Copyright © 2004 Pearson Prentice Hall, Inc. Fig 15-6

Natural reservoirs and fluxes (rates)

Carbonic rocks;
0.06Gton/year;
volcanism/silicate weathering

**Fossil fuels: 6Gton/yr;
NOT balanced**

ocean<->atm;
60Gton/year;
balanced;

atm<->terrestrial
biosphere;
60Gton/year;

Clicker question 5

Choose the correct and complete statement.

- a. The largest carbon reservoir is carbonate rocks;**
- b. Carbon fluxes connect carbon reservoirs;**
- c. The largest carbon reservoir is connected to the rest of the system by the largest flux;**
- d. Both a and b.**
- e. All of above.**

Rates of fossil-fuel burning and deforestation

Fossil fuel formation: natural process;

Fossil-fuel burning: anthropogenic;

Fossil fuel: coal, oil, natural gas => burning,

Products: $\text{CO}_2 + \text{H}_2\text{O}$;


Flux: 6Gton/year; since formation of fossil fuel is slow (millions of years), this fast burning 3Gton/year CO_2 accumulate in atmosphere;
=>global warming, depletion of oil reserves.

Consumption rate >> formation rate

Deforestation: ~1.5 Gton/year CO_2 ;


(1Gton= 10^9 ton; 1ton=1000kg)

Coal, oil, & natural gas consumption rates CO₂ emission rate




Anthropogenic!

Copyright © 2004 Pearson Prentice Hall, Inc.



© 2010 Pearson Education, Inc.



© 2010 Pearson Education, Inc.

Clicker question 6

Choose the correct statement.

- a. Fossil fuel formation and burning are natural processes;
- b. Volcanic eruption is the major reason for the increased atmospheric CO₂ concentration since 1900;
- c. Increased fossil fuel burning is the major reason for the increased atmospheric CO₂ since 1900;
- d. Both a and c.